

FOR ANIMAL TREATMENT ONLY

Parvovirus/Leptospirosis/Erysipelas Vaccine for Pigs.

EOUIPMENT:

see enclosed leaflet.

CONNECTING PACK TO **AUTOMATIC VACCINATOR:**

the automatic vaccinator.

means of a carrying strap.

Connect the tube firmly onto

The pack may be suspended by

Eject air from the vaccinator and

tube by depressing plunger until

For best practice vaccine should

be used during one administration.

vaccine flows through needle.

RESEALING VACCINE PACK:

Unused vaccine must be kept

refrigerated and used within

vaccinator gun. Store between 2°C and 8°C.

(Refrigerate. Do not freeze).

Discard if previously frozen.

24 hours of opening.

Remove tube from the

Protect from light.

The pack is designed for use with an automatic vaccination gun. For

sterilisation of automatic vaccinator

READ THE ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE: SHAKE WELL TO MIX BEFORE USE AND KEEP MIXED DURING USE.

FOR INTRAMUSCULAR INIECTION ONLY

DOSAGE:

4 mL by intramuscular injection to gilts and sows. Gilts are vaccinated at selection then again 3-4 weeks later. Sows (previously vaccinated) -Vaccinate at 3 weeks before farrowing or at weaning.

WITHHOLDING PERIOD: NIL

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): ESI Zero (0) days.

FIRST AID:

If poisoning occurs, contact a **Doctor or Poisons Information** Centre. Phone Australia 131 126.

PLEvac

Parvovirus/Leptospirosis/Erysipelas Vaccine for Pigs.

Dispose of empty container by wrapping with paper and

STORAGE:

Store between 2°C and 8°C. (Refrigerate. Do not freeze).

Discard if previously frozen.

WARRANTY:

Intervet Australia Pty Ltd (IAPL), known as MSD Animal Health, warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination.

APVMA Approval No.: 46164/50907

PLEvac

FOR ANIMAL TREATMENT ONLY

Parvovirus/Leptospirosis/Erysipelas Vaccine for Pigs.

ACTIVE CONSTITUENTS:

Inactivated adjuvanted vaccine containing: Erysipelothrix rhusiopathiae 1 x 10^9 , Erysipelothrix rhusiopathiae 5 x 108, Leptospira interrogans pomona 3.75 x 108, Porcine parvovirus 512 HA/mL

Preservatives: 0.1 mg/mL Thiomersal; < 1.2 mg/mL Formaldehyde For protection against Erysipelas and Leptospira pomona infections and as an aid in the control of parvovirus MSD MSD

250 mL

Parvovirus/Leptospirosis/Erysipelas Vaccine for Pigs.





MSD ANIMAL HEALTH Intervet Australia Pty Ltd 91-105 Harpin Street, BENDIGO EAST, VIC 3550

Ph: 1800 033 461

134861

Client: MSD Animal Health

Product Description: PLEvac 250mL Carton

Scale: 100%

Colour: PMS232 - 100% Product Name 100% Paint Box Outline

50% Shaded Panels

Keyline: Cut (not to be printed)

Crease (not to be printed)

(not to be printed)

Uncoated/unvarnished area (not to be printed)

Dimensions: 100 x 80 x 136mm - overall size: 372 x 331mm

Clients Code: 134861

PPC: 13-048

Agency Code & Version: MSD14876 V5

Last revised: 7/2/14

Signal Heading: Lucida AK Bold 4.4 mm Product Name: Lucida Sans AK Bold 10.7 mm Body Text: Lucida Sans AK Roman 1.7 mm Directions for Use: Lucida Sans AK Demi Bold 1.7 mm Safety Directions: Lucida Sans AK Roman 1.7 mm