Scale: A3 = 62%



FOR ANIMAL TREATMENT ONLY

ECONSC®

ECOvac®

E. coli Vaccine for Pigs.

READ ENCLOSED LEAFLET

DIRECTIONS FOR USE: SHAKE WELL TO MIX BEFORE USE AND KEEP MIXED DURING USE.

FOR INTRAMUSCULAR INJECTION ONLY

2 mL by intramuscular injection to pregnant sows.

Gilts and unvaccinated sows: Vaccinate at 7 weeks and 3 weeks before farrowing.

Booster dose at 3 weeks before

WITHHOLDING PERIOD: NIL

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI):

ESI not required.

If poisoning occurs, contact a **Doctor or Poisons Information** Centre. Phone Australia 131126.

EQUIPMENT:

The pack is designed for use with an automatic vaccination gun. For sterilisation of automatic vaccinator see enclosed leaflet.

CONNECTING PACK TO AUTOMATIC VACCINATOR: Connect the tube firmly onto

the automatic vaccinator. The pack may be suspended by means of a carrying strap. Eject air from the vaccinator and tube by depressing plunger until vaccine flows through needle.

RESEALING VACCINE PACK: For best practice vaccine should be used during one administration. Unused vaccine must be kept

refrigerated and used within 24 hours of opening. Remove tube from the vaccinator gun. Store between 2°C and 8°C. (Refrigerate. Do not freeze). Protect from light. Discard if previously frozen.

ECOvac®

E. coli Vaccine for Pigs.

Dispose of empty container by wrapping with paper and putting in garbage

STORAGE:

Store between 2°C and 8°C. (Refrigerate. Do not freeze). Protect from light. Discard if previously frozen.

WARRANTY:

Intervet Australia Pty Ltd (IAPL) warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination





APVMA Approval No.: 35779/250M/0410

FOR ANIMAL TREATMENT ONLY

ECOvac®


E. coli Vaccine for Pigs.



ACTIVE CONSTITUENTS: Inactivated adjuvanted vaccine containing: Whole cell E. coli including fimbrial antigens K88,

Preservatives: 0.1 mg/mL Thiomersal; < 1.2 mg/mL Formaldehyde For protection against *E. coli* scours in neonatal piglets.

250 mL



Schering-Plough Animal Health

Intervet

E. coli Vaccine for Pigs.

IntervetSchering-Plough Animal Health

Intervet/Schering-Plough Animal Health 91-105 Harpin Street BENDIGO EAST VIC 3550 Phone: (03) 5440 9888

CA3631B/01

Client: Intervet/Schering-Plough Animal Health Product Description: ECOvac 250mL Carton

Scale: 100%

Colour: PMS279

100% Black

Keyline: (not to be printed)

Uncoated/unvarnished area

Dimensions: 100 x 80 x 136mm - overall size: 372 x 331mm

Clients Code: CA3631B/01

Agency Code & Version: IVT7031 V3

Last revised: 10/3/10

Signal Heading: Lucida AK Bold 4.4 mm Product Name: Lucida Sans AK Bold 10.8 mm Body Text: Lucida Sans AK Roman 1.7 mm

Directions for Use: Lucida Sans AK Demi Bold 1.7 mm Safety Directions: Lucida Sans AK Roman 1.7 mm

93228390 2050 1

+

Scale: A4 = 100%

FOR ANIMAL TREATMENT ONLY

READ ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE: SHAKE WELL TO MIX BEFORE USE AND KEEP MIXED DURING USE.

FOR INTRAMUSCULAR INJECTION ONLY

DOSAGE: 2 mL

WITHHOLDING PERIOD: NIL

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): ESI not required.





ECOVac®

E. coli Vaccine for Pigs.

ACTIVE CONSTITUENTS:

Inactivated adjuvanted vaccine containing: Whole cell *E. coli* including fimbrial antigens K88, K99 and 987P Preservatives: 0.1 mg/mL Thiomersal; < 1.2 mg/mL Formaldehyde

For protection against *E. coli* scours in neonatal piglets.

250 mL



DISPOSAL: Dispose of empty container by wrapping with paper and putting in garbage.

STORAGE: Store between 2°C and 8°C. (Refrigerate. Do not freeze). Protect from light. **Discard if previously frozen.**

APVMA Approval No.: 35779/250M/0410

Batch No.: | Expiry Date: |

Intervet/Schering-Plough Animal Health 91-105 Harpin Street BENDIGO EAST VIC 3550 Phone: (03) 5440 9888

LA3631B/01

Client: Intervet/Schering-Plough Animal Health Product Description: ECOvac 250 mL Label Stock: Super gloss pharma S2045

Scale: 100%

Colour:

PMS279



100% Black

Keyline:

(not to be printed)

---- (uncoated area not to be printed)

Dimensions: 70 mm x 160 mm **Clients Code:** LA3631B/01

Agency Code & Version: IVT7031 V3

Last revised: 10/3/10

Signal Heading: Lucida AK Bold 2.3 mm Product Name: Lucida Sans AK Bold 4.4 mm Body Text: Lucida Sans AK Roman 1.6 mm

Directions for Use: Lucida Sans AK Demi Bold 1.6 mm **Safety Directions:** Lucida Sans AK Bold 1.6 mm

19V1917I

շօօ ար

Scale: A3 = 62%

Expiry Date:

Batch No.:

ECOVACE (B) Vaccine for Pigs.

FOR ANIMAL TREATMENT ONLY

ECOvac®

E. coli Vaccine for Pigs.

READ ENCLOSED LEAFLET
BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE: SHAKE WELL TO MIX BEFORE USE AND KEEP MIXED DURING USE.

FOR INTRAMUSCULAR INJECTION ONLY

2 mL by intramuscular injection to pregnant sows.

Gilts and unvaccinated sows: Vaccinate at 7 weeks and 3 weeks before farrowing. Sows:

Booster dose at 3 weeks before farrowing.

WITHHOLDING PERIOD: NIL

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): ESI not required.

FIRST AID:
If poisoning occurs, contact a
Doctor or Poisons Information
Centre. Phone Australia 131126.

FOLLIPMENT

The pack is designed for use with an automatic vaccination gun. For sterilisation of automatic vaccinator see enclosed leaflet.

CONNECTING PACK TO
AUTOMATIC VACCINATOR:
Connect the tube firmly onto
the automatic vaccinator.
The pack may be suspended by
means of a carrying strap.
Eject air from the vaccinator and

tube by depressing plunger until

vaccine flows through needle.

RESEALING VACCINE PACK:
For best practice vaccine should be used during one administration. Unused vaccine must be kept refrigerated and used within 24 hours of opening.
Remove tube from the vaccinator gun.
Store between 2°C and 8°C. (Refrigerate. Do not freeze).
Protect from light.
Discard if previously frozen.

ECOvac®

E. coli Vaccine for Pigs.

DISPOSAL:

Dispose of empty container by wrapping with paper and putting in garbage.

STORAGE:

Store between 2°C and 8°C. (Refrigerate. Do not freeze). Protect from light.

Discard if previously frozen.

WARRANTY:

Intervet Australia Pty Ltd (IAPL) warrants that this product is of merchantable quality and fit for its intended purpose. IAPL's liability for any loss, including consequential losses or injury caused by act or omission, including negligent acts or omissions, by IAPL or its agent, is limited to replacing or repairing the product at the option of IAPL. If possible, a sample of any product causing concern should be retained or delivered to IAPL within 30 days for a scientific examination.



APVMA Approval No.: 35779/500M/0410

FOR ANIMAL TREATMENT ONLY

ECOvac®

E. coli Vaccine for Pigs.



ACTIVE CONSTITUENTS: Inactivated adjuvanted vaccine containing: Whole cell *E. coli* including fimbrial antigens K88, K99 and 987P

Preservatives: 0.1 mg/mL Thiomersal; < 1.2 mg/mL Formaldehyde For protection against *E. coli* scours in neonatal piglets.

500 mL



ECOvac®

E. coli Vaccine for Pigs.

Intervet
Schering-Plough Animal Health

Intervet/Schering-Plough Animal Health 91-105 Harpin Street BENDIGO EAST VIC 3550 Phone: (03) 5440 9888

CA3631A/02

Client: Intervet/Schering-Plough Animal Health Product Description: ECOvac 500mL Carton

Scale: 100%

Colour: PMS279

100% Black

Keyline: (not to be printed)

Uncoated/unvarnished area

Dimensions: 120 x 90 x 150mm - overall Size: 430 x 365mm

Clients Code: CA3631A/02

Agency Code & Version: IVT7031 V3

Last revised: 10/3/10

Signal Heading: Lucida AK Bold 5.1 mm Product Name: Lucida Sans AK Bold 12.7 mm Body Text: Lucida Sans AK Roman 1.8 mm

Directions for Use: Lucida Sans AK Demi Bold 1.8 mm Safety Directions: Lucida Sans AK Roman 1.8 mm 93228390 2049 5

+

Scale: A4 = 100%

FOR ANIMAL TREATMENT ONLY

READ ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE: SHAKE WELL TO MIX BEFORE USE AND KEEP MIXED DURING USE.

FOR INTRAMUSCULAR INJECTION ONLY

DOSAGE: 2 mL

WITHHOLDING PERIOD: NIL

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): ESI not required.





ECOvac® E. coli Vaccine for Pigs.



ACTIVE CONSTITUENTS:

Inactivated adjuvanted vaccine containing: Whole cell E. coli including fimbrial antigens K88, K99 and 987P

Preservatives: 0.1 mg/mL Thiomersal; < 1.2 mg/mL Formaldehyde

For protection against *E. coli* scours in neonatal piglets

500 mL



DISPOSAL: Dispose of empty container by wrapping with paper and putting in garbage.

STORAGE: Store between 2°C and 8°C. (Refrigerate. Do not freeze). Protect from light. Discard if previously frozen.

APVMA Approval No.: 35779/500M/0410

Batch No.: Expiry Date:

Intervet/Schering-Plough Animal Health 91-105 Harpin Street BENDIGO EAST VIC 3550 Phone: (03) 5440 9888

LA3631A01

Client: Intervet/Schering-Plough Animal Health Product Description: ECOvac 500 mL Label

Stock: Super gloss pharma S2045

Scale: 100%

PMS279 Colour:

100% Black

Keyline:

(not to be printed)

(uncoated area not to be printed)

Dimensions: 70 mm x 180 mm Clients Code: LA3631A/01

Agency Code & Version: IVT7031 V3

Last revised: 10/3/10

Signal Heading: Lucida AK Bold 2.3 mm Product Name: Lucida Sans AK Bold 4.4 mm Body Text: Lucida Sans AK Roman 1.6 mm

Directions for Use: Lucida Sans AK Demi Bold 1.6 mm Safety Directions: Lucida Sans AK Bold 1.6 mm